

The following is a listing of some of the published articles about Rubidium-82

Alvarez-Diez TM, deKemp R, Beanlands R, Vincent J.
Manufacture of strontium-82/rubidium-82 generators and quality control of rubidium-82 chloride for myocardial perfusion imaging in patients using positron emission tomography.

Appl Radiat Isot 1999; 50:1015–23

DeKemp RA, Ruddy TD, Hewitt T, Dalipaj MM, Beanlands RS.
Detection of serial changes in absolute myocardial perfusion with 82Rb PET.

J Nucl Med 2000; 41:1426–35

Tamaki N, Ruddy TD, DeKemp R, Beanlands RSB.
Myocardial Perfusion. In: Wahl RL, editor.
Principles and practice of positron emission tomography.
Philadelphia: Lippincott Williams & Wilkins; 2002; 320–33

Parkash R, deKemp RA, Ruddy TD, Kitsikis A, Hart R, Beauschene L, et al.
Potential utility of rubidium 82 PET quantification in patients with 3-vessel coronary artery disease.

J Nucl Cardiol 2004; 11:440–9

Epstein NJ, Benelfassi A, Beanlands RSB, deKemp RA.
A 82Rb infusion system for quantitative perfusion imaging with 3D PET.

Appl Radiat Isotopes 2004; 60:921–7

Chow BJW, Wong JW, Yoshinaga K, et al.
Prognostic significance of dipyridamole-induced ST depression in patients with normal 82 Rb PET myocardial perfusion imaging.

J Nucl Med 2005; 46:1095–101

Chow Benjamin JW, Ananthasubramaniam K, deKemp RA, Dalipaj M, Beanlands RSB, Ruddy TD.
Comparison of treadmill exercise versus dypiridamole stress with myocardial perfusion imaging using rubidium-82 positron emission tomography.

J Am Coll Cardiol 2005; 46:1227–34

Yoshinaga K, Chow BJ, Williams K, Chen L, deKemp RA, Garrard L, Lok-Tin Szeto A, Aung M, Davies RA, Ruddy TD, Beanlands RS.
What is the prognostic value of myocardial perfusion imaging using rubidium-82 positron emission tomography?

J Am Coll Cardiol 2006; 48:1029–39

Klein R, Adler A, Beanlands RS, deKemp RA.
Precision controlled elution of a 82Sr/82Rb generator for cardiac perfusion imaging with positron emission tomography.
***Phys Med Biol* 2007; 52:659–73**

Lortie M, Beanlands RS, Yoshinaga K, Klein R, Dasilva JN, deKemp RA.
Quantification of myocardial blood flow with 82Rb dynamic PET imaging.
***Eur J Nucl Med Mol Imaging* 2007; 34:1765—74**

deKemp RA, Yoshinaga K, Beanlands RS.
Will 3-dimensional PETCT enable the routine quantification of myocardial blood flow?
***J Nucl Cardiol* 2007; 14:380—397**

Chow BJ, Dennie C, Hoffmann U, et al.
Comparison of computed tomographic angiography versus rubidium-82 positron emission tomography for the detection of patients with anatomical coronary artery disease.
***Can J Cardiol* 2007; 23:801–7**

Osamu Manabe, Yoshinaga Keiichiro, Katoh Chietsugu, Naya Masanao, deKemp Robert A, Tamaki Nagara.
Repeatability of rest and hyperemic myocardial blood flow measurements with 82Rb dynamic PET.

***J Nucl Med* 2009; 50:68-71**

Klein, R., Beanlands, R. S., deKemp, R. A.
Quantification of Myocardial Blood Flow and Flow Reserve - Technical Aspects.
***J. Nucl. Cardiol* 2010; 17(4):555-570**

Klein R., Renaud J. M., Ziadi M. C., Thorn S. L., Adler A., Beanlands R. S., deKemp R. A.
Intra- and inter-operator repeatability of myocardial blood flow and myocardial flow reserve measurements using Rubdium-82 PET and a highly automated analysis program.
***J. Nucl. Cardiol* 2010; 17(4):600-616**

Yoshinaga K., Klein R., Tamaki N.
Generator Produced Rubidium-82 Positron Emission Tomography Myocardial Perfusion Imaging From Basic Aspects to Clinical Applications.
***J. Of Cardiol* 2010; 55(2):163-173**

Hunter C, Ziadi MC, Etele J, Hill J, Beanlands RS, deKemp RA.
Rest and stress dosimetry for Rubidium-82 using new effective dose estimates based on dynamic PET/CT imaging in humans.
***J Nucl Med* 2010;26 Suppl D:40D–42D**

Yoshinaga K, Katoh C, Manabe O, Klein R, Naya M, Sakakibara M, Yamada S, deKemp RA, Tsutsui H, Tamaki N.
Incremental Diagnostic Value of Regional Myocardial Blood Flow Quantification over Relative Perfusion Imaging With Generator-Produced Rubidium-82 PET.
***Circ J* 2011; 75:2628-2634**

Ziadi Maria C. MD, deKemp Robert A. PhD, Williams Kathryn A. MS , Guo Ann MEng, Chow Benjamin J.W. MD, Renaud Jennifer M. MSc, Ruddy Terrance D. MD, Sarveswaran Niroshi, BHSc, Tee Rebecca E, MSc and Beanlands Rob S.B. MD.
Impaired myocardial flow reserve on Rubidium-82 positron emission tomography imaging predicts adverse outcomes in patients assessed for myocardial ischemia.
***J Am Coll Cardiol* 2011; 58:740-748.**

Efseaff Matthew, Klein Ran PhD, Ziadi Maria C. MD, Beanlands Rob S. MD, FRCPC, FACC, and deKemp Robert A. PhD, PEng, PPhysa.
Short-term repeatability of resting myocardial blood flow measurements using rubidium-82 PET imaging.
***J Nucl Cardiol* 2012; 19(5):997-1006.**

Ziadi Maria C., deKemp Robert A., Williams Kathryn, Guo Ann, Renaud Jennifer M., Chow Benjamin J.W., Klein Ran, Ruddy Terrance D., Aung May, Garrand Linda, and Beanlands Rob S.
Does quantification of myocardial flow reserve using rubidium-82 positron emission tomography facilitate detection of multivessel coronary artery disease?
***J Nucl Cardiol* 2012; 19(4):670-80**

Katoh C, Yoshinaga K, Klein R, Kasai K, Tomiyama Y, Manabe O, Naya M, Sakakibara M, Tsutsui H, deKemp RA, Tamaki N.
Quantification of regional myocardial blood flow estimation with three-dimensional dynamic rubidium-82 PET and modified spillover correction model.
***J Nucl Cardiol* 2012; 19(4):763-74**

Kaster T, Mylonas I, Renaud JM, Wells GA, Beanlands RSB, deKemp RA.
Accuracy of low-dose rubidium-82 myocardial perfusion imaging for detection of coronary artery disease using 3D PET and normal database interpretation.
J Nucl Cardiol; Online September 2012; 19(6): 1135-1145

Mc Ardle BA, Dowsley TF, deKemp RA, Wells GA, Beanlands, RSB.

Does Rubidium-82 PET have superior accuracy to SPECT perfusion imaging for the diagnosis of obstructive coronary artery disease? A systematic review and meta-analysis.
J Am Coll Cardiol 2012; 60(18):1828-1837

deKemp RA, Declerck J, Klein R, Pan X, Nakazato R, Tonge C, Arumugam P, Berman DS, Germano G, Beanlands RS, Slomka PJ. Multisource Reproducibility Study of Stress and Rest Myocardial Blood Flow Assessed with 3D Dynamic PET/CT and a 1-Tissue-Compartment Model of Rb-82 Kinetics.

J Nucl Med 2013; 54:571-577

Ohira H, Mc Ardle B, Cocker MS, deKemp RA, DaSilva JN, Beanlands RS. Current and Future Clinical Applications of Cardiac Positron Emission Tomography.

Circulation Journal; Publish online March 12, 2013: ISSN-1346-9843

Yano Y. Essentials of a Rubidium-82 generator for nuclear medicine. ***Appl. Radiat. Isot. 1987; 38 205-11***

Gould LK, Goldstein RA, Mullani NA, Kirkeeide RL, Wong WH, Tewson TJ, Berridge MS, Bolomey LA, Hartz RK, Smalling RW, Fuentes F, Nishikawa A. Noninvasive assessment of coronary stenoses by myocardial perfusion imaging during pharmacologic coronary vasodilation. Clinical feasibility of positron cardiac imaging without a cyclotron using generator-produced rubidium-82.

J Am Coll Cardiol 1986; 7:775-89

Go RT, Marwick TH, MacIntyre WJ, Saha GB, Neumann DR, Underwood DA, Simpfendorfer CC.

A prospective comparison of rubidium-82 PET and thallium-201 SPECT myocardial perfusion imaging utilizing a single dipyridamole stress in the diagnosis of coronary artery disease.

J Nucl Med 1990; 31:1899-905

Stewart RE, Schwaiger M, Molina E, Popma J, Gacioch GM, Kalus M, Squicciarini S, al-Aouar ZR, Schork A, Kuhl DE.

Comparison of rubidium-82 positron emission tomography and thallium-201 SPECT imaging for detection of coronary artery disease.

Am J Cardiol. 1991; 67:1303-10

Grover-McKay M, Ratib O, Schwaiger M, Wohlgelernter D, Araujo L, Nienaber C, Phelps M, Schelbert HR.

Detection of coronary artery disease with positron emission tomography and rubidium 82.

Am Heart J. 1992 Mar; 123(3):646-52

Williams BR, Mullani NA, Jansen DE, Anderson BA.

A retrospective study of the diagnostic accuracy of a community hospital-based PET center for the detection of coronary artery disease using rubidium-82.

J Nucl Med 1994; 35:1586-92

Marwick TH, Shan K, Patel S, Go RT, Lauer MS.

Incremental value of rubidium-82 positron emission tomography for prognostic assessment of known or suspected coronary artery disease.

Am J Cardiol 1997; 80:865-870

Bateman TM, Heller GV, McGhie AI, Friedman JD, Case JA, Bryngelson JR, Hertenstein GK, Moutray KL, Reid K, Cullom SJ.

Diagnostic accuracy of rest/stress ECG-gated Rb-82 myocardial perfusion PET: comparison with ECG-gated Tc-99m sestamibi SPECT.

J Nucl Cardiol 2006; 13:24-33

Merhige Michael E., Breen William J., Shelton Victoria, Houston, Theresa, D-arcy Brian J., Perna Anthony F.

Impact of myocardial perfusion imaging with PET and ⁸²Rb on downstream invasive procedure utilization, costs, and outcomes in coronary disease management.

J Nucl Med 2007; 48:1069-1076

Santana Cesar A, Folks Rusell D, Garcia Ernest V, Verdes Liudmila, Sanyal Rupan, Hainer Jon, Di Carli Marcelo F, Esteves Fabio P.

Quantitative 82Rb PET/CT: Development and Validation of Myocardial Perfusion Database.

J Nucl Med 2007; 48:1122-28

Kaufmann Phillip A.

82-Rubidium - The dawn of cardiac PET in Europe?

Eur J Nucl Med Mol Imaging 2007; 34:1963-64

Sampson UK, Dorbala S, Limaye A, Kwong R, Di Carli MF.

Diagnostic accuracy of rubidium-82myocrdial perfusion imaging with hybrid positron emission tomography/computed tomography in the detection of coronary artery disease.

J Am Coll Cardiol 2007; 49:1052-8

Dorbala S, Vangala D, Sampson U, Limaye A, Kwong R, DiCarli MF.

Value of vasodilator left ventricular ejection fraction reserve in evaluating the magnitude of myocardium at risk and the extent of angiographic disease: A Rb-82 PET/CT study.

J Nucl Med 2007; 48:349-358

Esteves FP, Sanyal R, Nye JA, Santana CA, Verdes L, Raggi P.

Adenosine stress rubidium-82 PET/computed tomography in patients with known and suspected coronary artery disease.

Nucl Med Commun 2008; 29:674-8

Gibbons Raymond J, Chareonthaitawee Panithaya.

Establishing the prognostic value of Rb-82 PET myocardial perfusion imaging.

J. Am. Coll. Cardiol. Img. 2009; 2(7): 855-857

Dorbala Sharmila, Hachamovitch Rory, Curillova Zelmira, Thomas Deepak, Vangala Divya, Kwong Raymond Y, and Di Carli Marcelo F.

Incremental prognostic value of gated Rb-82 positron emission tomography myocardial perfusion imaging over clinical variables and rest LVEF.

J. Am. Coll. Cardiol. Img. 2009; 2:846-854

Senthamizhchelavan Srinivasan, Bravo Paco E, Esaias Caroline, Lodge Martin A, Merrill Jennifer, Hobbs Robert F, Sgouros, Bengel Frank L.

Human biodistribution and radiation dosimetry of ⁸²Rb.

J Nucl Med 2010; 51:1592-1599

Esteves FP, Nye JA, Khan A, Folks RD, Halkar RK, Garcia EV, Schuster DM, Lerakis S, Raggi P, Votaw JR.

Prompt-gamma compensation in Rb-82 myocardial perfusion 3D PET/CT.

J Nucl Cardiol 2010; 17:247-53

Senthamizhchelvan Srinivasan, Bravo Paco E, Lodge Martin A, Merrill Jennifer, Bengel Frank M, Sgouros George.

Radiation dosimetry of ⁸²Rb in humans under pharmacologic stress.

J Nucl Med 2011; 52:485-491

Bengel FM.

Leaving Relativity Behind: Quantitative Clinical Perfusion Imaging.

J Am Coll Cardiol 2011; 58(7): 749-751

Fukushima Kenji, Javadi Mehrbod S, Higuchi Takahiro, Bravo Paco E, Chien David, Lautamaki Riikka, Merrill Jennifer, Nekolla Stephan G, Bengel Frank M.

Impaired global myocardial flow dynamics despite normal left ventricular function and regional perfusion in chronic kidney disease: a quantitative analysis of clinical ⁸²Rb PET/CT studies.

J Nucl Med 2012; 53:887-893

Nakazato R, Berman D, Dey D, Le Meunier L, Hayes SW, Fermin JS, Cheng VY, Thompson LEJ, Friedman JD, Germano G, Slomka PJ.

Automated quantitative Rb-82 3D PET/CT myocardial perfusion imaging: Normal limits and correlation with invasive coronary angiography.

J Nucl Cardiol 2012; 19(2):265-276

Rischpler Christoph, Higuchi Takahiro, Fukushima Kenji, Javadi Mehrbod S, Merrill Jennifer, Nekolla Stephan G, Bravo Paco E, Bengel Frank M.
Transient Ischemic Dilation Ratio in ^{82}Rb PET Myocardial Perfusion Imaging: Normal Values and Significance as a Diagnostic and Prognostic Marker.

***J Nucl Med* 2012; 53:723-30**

Ohira Hiroshi, Mc Ardle Brain, Cocker Myra, et al.
Current and Future Clinical Applications of Cardiac Positron Emission Tomography.
***Circ J* 2013; 77: 836 – 848**